



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 03/05/2019

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Threadlocker
 - Synonyms: 132 High Strength Primerless, Oil Tolerant Threadlocker
 - Part number: VT132
 - Application of the substance / the mixture Thread Locking

- Details of the supplier of the safety data sheet

Manufacturer/Supplier: ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- Signal word Warning

- Hazard-determining components of labeling:
- 2-hydroxyethyl methacrylate 2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate
- dimethylbenzyl hydroperoxide
- 2'-phenylacetohydrazide

- Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- Precautionary statements
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.

Reviewed on 03/05/2019

Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 1) P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P280 Wear protective gloves. P280 Wear eye protection / face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P312 Call a poison center/doctor if you feel unwell. P314 Get medical advice/attention if you feel unwell. P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P321 Specific treatment (see on this label). P337+P313 If eye irritation persists: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information:

8.5 % of the mixture consists of component(s) of unknown toxicity.

- Classification system:

NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)

HEALTH 12 Health = *2 FIRE 1 Fire = 1 REACTIVITY 0 Reactivity = 0

- Other hazards

Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	30 - 39%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 868-77-9	2-hydroxyethyl methacrylate	20 – 29%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 39382-25-7	2-Butenedioic acid (2E)-, polymer with α, α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -hydroxypoly[oxy(methyl-1,2-ethanediyl)]]	20 – 29%
	Eye Irrit. 2A, H319	
CAS: 41637-38-1	Ethoxylated Bisphenol A Dimethacrylate Esters	5 – 9%
	Eye Irrit. 2A, H319	
	Modified Epoxy Acrylate Oligomer	1 – 4%
	Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 2B, H320	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	1 – 4%
	Self-react. F, H242; Org. Perox. E, H242; Acute Tox. 3, H311; STOT RE 2, H373; Asp. Tox. 1, H304; Eye Dam. 1, H318; Acute Tox. 4, H302; STOT SE 3, H335; Flam. Liq. 4, H227	
CAS: 57-55-6	propane-1,2-diol	1 – 4%
	Acute Tox. 4, H302	
CAS: 114-83-0	2'-phenylacetohydrazide	≤ 1%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 98-82-8	cumene	≤ 1%
	Flam. Liq. 3, H226; Carc. 2, H351; Asp. Tox. 1, H304; Acute Tox. 4, H302; STOT SE 3, H335	

4 First-aid measures

- Description of first aid measures - After inhalation:

Supply fresh air and to be sure call for a doctor.

Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019

Trade name: Vibra-TITE® Threadlocker

Reviewed on 03/05/2019

Trade name: Vibra-TTTE TTTTE aclocker	
	(Contd. of page 2)
In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.	
- After skin contact: Immediately wash with water and soap and rinse thoroughly.	
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a d	octor.
- After swallowing: If symptoms persist consult doctor.	
- Information for doctor:	
- Most important symptoms and effects, both acute and delayed No further relevant information av	ailable.
 Indication of any immediate medical attention and special treatment needed No further relevant information available. 	
5 Fire-fighting measures	
- Extinguishing media	
- Suitable extinguishing agents:	
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	
CO2, sand, extinguishing powder. Do not use water. Use fire fighting measures that suit the environment.	
- For safety reasons unsuitable extinguishing agents: Water	
- Special hazards arising from the substance or mixture No further relevant information available.	
- Advice for firefighters	
- Protective equipment:	
Wear self-contained respiratory protective device.	
Wear fully protective suit.	
6 Accidental release measures	
- Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation	
Wear protective clothing. - <i>Environmental precautions:</i> Do not allow to enter sewers/ surface or ground water.	
- Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Ensure adequate ventilation.	
Do not flush with water or aqueous cleansing agents	
Dispose of the collected material according to regulations. - Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
7 Handling and storage	
- Handling:	
- Precautions for safe handling	
Ensure good ventilation/exhaustion at the workplace.	
Prevent formation of aerosols.	

Prevent formation of aerosols.

No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:
 - Keep receptacle tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Trade name: Vibra-TITE® Threadlocker

Reviewed on 03/05/2019

	(Contd. of page 3)
CAS: 8	30-15-9 dimethylbenzyl hydroperoxide
WEEL	Long-term value: 6 mg/m³, 1 ppm Skin
CAS: 5	i7-55-6 propane-1,2-diol
WEEL	Long-term value: 10 mg/m ³
CAS: 9	8-82-8 cumene
PEL	Long-term value: 245 mg/m³, 50 ppm Skin
REL	Long-term value: 245 mg/m³, 50 ppm Skin
TLV	Long-term value: (246) NIC-0.5 mg/m ³ , (50) NIC-0.1 ppm NIC-A3

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:
 - General protective and hygienic measures:
 - Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eves and skin.
 - Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - Eve protection:



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and che	nical properties	
- Appearance:		
- Form:	Fluid	
- Color:	Red	
- Odor:	Characteristic	
 Odor threshold: 	Not determined.	
- pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. > 195 °C (> 383 °F)	
- Flash point:	100 °C (212 °F)	
- Flammability (solid, gaseous):	Not applicable.	
- Decomposition temperature:	Not determined.	

(Contd. on page 5)

Trade name: Vibra-TITE® Threadlocker

Reviewed on 03/05/2019

	(Contd.	of page
- Auto igniting:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits:		
- Lower:	Not determined.	
- Upper:	Not determined.	
- Vapor pressure at 68 °C (154.4 °F):	≤ 1.3 hPa (≤ 1 mm Hg)	
- Density:	Not determined.	
- Relative density	Not determined.	
- Vapor density	Not determined.	
 Evaporation rate 	Not determined.	
- Solubility in / Miscibility with		
- Water:	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/wate	er): Not determined.	
- Viscosity:		
- Dynamic:	Not determined.	
- Kinematic:	Not determined.	
- Solvent content:		
 Organic solvents: 	1.6 %	
- Water:	1.4 %	
 VOC content: 	1.59 %	
	15.9 g/l / 0.13 lb/gal	
- Solids content:	56.5 %	
Other information	No further relevant information available.	

- Reactivity No further relevant information available. - Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LI	D/LC50 v	alues that are relevant for classification:
ATE (Acu	te Toxicity	r Estimate)
Oral	LD50	15,284 mg/kg (rat)
Dermal	LD50	27,945 mg/kg (rat)
Inhalative	LC50/4 h	12,296 mg/l (rat)
CAS: 868-	.77-9 2-hy	droxyethyl methacrylate
Oral	LD50	5,050 mg/kg (rat)
CAS: 80-1	5-9 dimet	hylbenzyl hydroperoxide
Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)
CAS: 57-5	5-6 propa	ne-1,2-diol
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)
CAS: 114	-83-0 2'-ph	enylacetohydrazide
Oral	LD50	270 mg/kg (mouse)
		(Contd. on page

(Contd. on page 6)

Trade name: Vibra-TITE® Threadlocker

Reviewed on 03/05/2019

	2-8 cum	ene	(Contd. of page
	LD50	1,400 mg/kg (rat)	
	LD50	12,300 mg/kg (rabbit)	
		h 24.7 mg/l (mouse)	
		irritant effect:	
		e skin: Irritant to skin and mucous membranes.	
		e eye: Irritating effect.	
		tion: Sensitization possible through skin contact.	
		oxicological information:	
The pro Irritant	oduct sh	ows the following dangers according to internally approved calculation methods for preparations:	
- Ca	arcinog	enic categories	
	- IARC	(International Agency for Research on Cancer)	
CAS: 98-82	2-8 cum	iene	2
	- NTP (National Toxicology Program)	
CAS: 98-82	2-8 cu	mene	
CAS: 130-	15-4 1,4	I-naphthoquinone	
	- OSHA	-Ca (Occupational Safety & Health Administration)	
		ients is listed.	
Toxicity - Aquai	tic toxi	city: No further relevant information available	
- Aquat Persister Behavior - Bioac - Mobil Additiona - Geneu Water Do not Results c - PBT: - vPvB	ince and c in envi cumula ity in s al ecolo ral note hazard o allow un of PBT Not appl Not appl	class 1 (Self-assessment): slightly hazardous for water ndiluted product or large quantities of it to reach ground water, water course or sewage system. and vPvB assessment icable. plicable.	
- Aquat Persister Behavior - Bioac - Mobil Additiona - Gener Water Do not Results c - PBT: - vPvB Other ad	nce and c in env ccumula ity in s al ecolo ral note hazard o allow ur of PBT Not app verse e	 degradability No further relevant information available. dive potential No further relevant information available. oil No further relevant information available. ogical information: es: class 1 (Self-assessment): slightly hazardous for water ndiluted product or large quantities of it to reach ground water, water course or sewage system. and vPvB assessment icable. olicable. olicable. olicable. olicable. 	
- Aquat Persister Behavior - Bioac - Mobil Additiona - Gener Water Do not Results c - PBT: - vPvB Other ad	nce and c in env ccumula ity in s al ecolo ral note hazard o allow ur of PBT Not app verse e	 degradability No further relevant information available. irionmental systems: ative potential No further relevant information available. oil No further relevant information available. ogical information: es: class 1 (Self-assessment): slightly hazardous for water ndiluted product or large quantities of it to reach ground water, water course or sewage system. and vPvB assessment icable. olicable. 	
- Aquai Persister Behavior - Bioac - Mobil Additiona - Gener Water Do not Results c - PBT: - vPvB. Other ad Disposa	ince and in environmentation ity in s al ecolorial note hazard of allow up of PBT Not app verse of l cons eatmentation	 degradability No further relevant information available. dive potential No further relevant information available. oil No further relevant information available. ogical information: es: class 1 (Self-assessment): slightly hazardous for water ndiluted product or large quantities of it to reach ground water, water course or sewage system. and vPvB assessment icable. olicable. olicable. olicable. olicable. 	ewage system.
- Aquai Persister Behavior - Bioac - Mobil Additiona - Geneu Water Do not Results o - PBT: - vPvB. Other ad Disposa	ace and in envice cumulative in seal ecological note hazard of allow ur of PBT Not app verse e l cons eatment memore ad pack	<pre>d degradability No further relevant information available. irironmental systems: ative potential No further relevant information available. oil No further relevant information available. ogical information: es: class 1 (Self-assessment): slightly hazardous for water indiluted product or large quantities of it to reach ground water, water course or sewage system. and vPvB assessment icable. olicable. effects No further relevant information available. iderations it methods lation: Must not be disposed of together with household garbage. Do not allow product to reach s</pre>	ewage system.

Trade name: Vibra-TITE® Threadlocker

Reviewed on 03/05/2019

and the IBC Code	Not applicable.
UN "Model Regulation":	not regulated
Regulatory information	
Safety, health and environmental regul	lations/legislation specific for the substance or mixture
- Section 355 (extremely hazar	rdous substances):
None of the ingredients is listed.	
- Section 313 (Specific toxic c	hemical listings):
CAS: 80-15-9 dimethylbenzyl hydroperoxide	
CAS: 98-82-8 cumene	
- TSCA (Toxic Substances Contro	ol Act):
2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop	-
2-hydroxyethyl methacrylate	
2-Butenedioic acid (2E)-, polymer with α,α'-[(1-	methylethylidene)di-4,1-phenylene]bis[ω-hydroxypoly[oxy(methyl-1,2-ethanediyl)]]
Ethoxylated Bisphenol A Dimethacrylate Esters	3
dimethylbenzyl hydroperoxide	
Saccharin	
propane-1,2-diol	
2'-phenylacetohydrazide	
cumene	
2-Phenyl-2-propanol	
tetrasodium ethylenediaminetetraacetate	
N-isopropylhydroxylamine	
1-hydroxyethane-1,1-diylbis(phosphonic acid)	
Colorant	
1,4-naphthoquinone	
Colorant	
phosphorous acid	
2-Propanone, oxime	
Deionized water	
 TSCA new (21st Century Act) 	
CAS: 25852-47-5 2-(2-methylprop-2-enoyloxy)	
Modified Epoxy Acrylate Oli	gomer
CAS: 114-83-0 2'-phenylacetohydrazide	
 Hazardous Air Pollutants 	
CAS: 98-82-8 cumene	
CAS: 130-15-4 1,4-naphthoquinone	
 Proposition 65 	
- Chemicals known to cause c	ancer:
CAS: 41637-38-1 Ethoxylated Bisphenol A Dir	nethacrylate Esters
CAS: 98-82-8 cumene	
- Chemicals known to cause r	eproductive toxicity for females:
None of the ingredients is listed.	
- Chemicals known to cause n	eproductive toxicity for males:
None of the ingredients is listed.	
	lovelenmental toxicity:
- Chemicals known to cause d	evelopmental toxicity.
None of the ingredients is listed.	
- Carcinogenic categories	
- EPA (Environmental Protecti	
CAS: 98-82-8 cumene	D, C

Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019

Trade name: Vibra-TITE® Threadlocker

Reviewed on 03/05/2019

Other Other This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Department issuing SDS: ND Industries, Inc Safety, Health and Environmental Affaires Contact: Safety, Health and Environmental Affaires - Date of preparation / last revision 03/06/2019 / 18 - Abbreviations and acronyms: ADR: acord auropten sur is transport as marchandises dangeruses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MOD: international Maritime Code for Dangerous Goods DOT: US peartment of Transportation ACGH: American Conference of Governmental Industrial Hygienists ELNCS: European List of Notfield Chemical Substances ELNCS: European List of Notfield Chemical Substances CLNC: European List of Notfield Chemical Substances CLNC: European List of Notfield Chemical Substances UNC: Volational Fire Protection Association (USA) VOC: Volational Fire Protection Association Soletion (USA) VOC: Volational Fire Protection Association Safety VOC: Volational Instruct for Cocupational Safety Cocupational Safety Cocupational Safety A Health PRE: Permissible Exposure Limit REL: Permissible Exposure Limit File. 1	None of the ingredients is listed.	
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Department issuing SDS: ND Industries, Inc Safety, Health and Environmental Affaires Outlet: Safety, Health and Environmental Affaires Date of preparation / last revision 03/06/2019 / 18 Abbreviations and acronyms: Abbreviations and acronyms: Abbreviations and acronyms: ABR: Acord européen sur le transport das marchandses dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDC: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGH: American Conference of Governmental Industrial Hygienists ELNCS: European Inventory of Existing Commercial Chemical Substances ELLINCS: European Inventory of Existing Commercial Chemical Substances ELLINCS: European Inventory of Existing Commercial Chemical Society) NPP: Kandinal Fire Protection Association (USA) HMS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LDSD: Lehtal concentration. 50 percent LDSD: Lehtal concentration. 50 percen	Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
shall not establish a legally valid contractual relationship. Department issuing SDS: ND Industries, Inc Safety, Health and Environmental Affaires Contact: Safety, Health and Environmental Affaires - Date of preparation / last revision 03/06/2019 / 18 - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDC: International Aritime Code for Dangerous Goods DOT: US Department of Transportation ATA: International Aritimete Code for Dangerous Goods DOT: US Department of Transportation ACGH: American Conference of Governmental Industrial Hygienists EHNCS: European Ist of Notified Chemical Substances ELNCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Stretcie (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Listial dose, 50 percent HB: Persistent, Bloaccumulative and Toxic vPrd: very Persistent and very Bloaccumulative NOSH: National Institute to Occupational Safety Out: NCD-Coupational Safety & Health TH: EL: Persistent, Bloaccumulative and Toxic vPrd: very Persistent and very Bloaccumulative NOSH: National Institute to Occupational Safety Out: NCD-Coupational Safety & Health TH: EL: Persistent, Bloaccumulative and Toxic vPrd: very Persistent and very Bloaccumulative NOSH: National Institute to Occupational Safety Out: NCD-Coupational Safety & Health TH: EL: Persistent Bloaccumulative and Toxic vPrd: very Persistent and very Bloaccumulative NOSH: National Institute to Occupational Safety Out: NCD-Coupational Safety & Health TH: EL: Persistent Bloaccumulative and Toxic vPrd: Very December Limit HE: Persistent Bloaccumulative and Toxic vPrd: Very Persistent and very Bloaccumulative NOSH: National Institute very Bloaccumulative NOSH: National Institute Substances and mixtures – Type E/F Org. Perso: E: Organic	Other information	
Contact: Safety, Health and Environmental Affaires Date of preparation / last revision 03/06/2019 / 18 Abreviations and acconyms: ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DDT: US Department of Transportation ACGH: American Conference of Governmental Industrial Hygienists EINECS: European List of Notified Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NPPA: National Fire Protection Association (USA) HMB: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LDSO: Ethal concentration, 50 percent LDSO: Ethal concentration, 50 percent LDSO: Ethal concentration, 50 percent DSO: How Persistent, Bioaccumulative and Toxic VPW: very Persistent, Bioaccumulative NOCSH: National Institute for Occupational Safety OSH: Occupational Safety & Health TLV: Threshold Limit Value PE: Permissible Exposure Limit REI: Recommended Exposure Limit REI: Recommended Exposure Limit REI: Recommended Exposure Limit REI: Recommended Exposure Limit REI: Acautous ubust of the Autor Substance - Type E/F Org. Perox. E: Organic perceide and mixtures - Type E/F Org. Perox. E: Organic perceided exposure Limit REI: - Recommended Exposure Limit REI: - Recomended Exposure Limit REI: - Recommended Expos		is shall not constitute a guarantee for any specific product features and
Contact: Safety, Health and Environmental Affaires Date of preparation / last revision 03/06/2019 / 18 Abreviations and acronyms: ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DDT: US Department of Transportation ACGH: American Conference of Governmental Industrial Hygienists EINECS: European Itsel of Nolfied Chermical Substances ELINCS: European Itsel of Nolfied Chermical Substances ELINCS: European Itsel of Nolfied Chermical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Dervice (division of the American Chemical Substances CAS: Chemical Abstracts Dervice (division of the American Chemical Substances CAS: Chemical Abstracts Dervice (division of the American Chemical Substances CAS: Chemical Abstracts Dervice (division of the American Chemical Substances CAS: Chemical Abstracts Dervice (division of the American Chemical Substances CAS: Chemical Abstracts Dervice (division of the American Chemical Substances) CAS: Chemical Abstracts Dervice (division of the American Chemical Substances) CAS: Chemical Abstracts Dervice (division of the American Chemical Substances) CAS: Chemical Abstracts Dervice (division of the American Chemical Substances) CAS: Chemical Abstracts Dervice (division of the American Chemical Substances) CAS: Checupational State and Texp Prevent Advectory (Develoant) CAS: Checupational State (Develoant) CA	Department issuing SDS: ND Industries, Inc Safety, Healt	h and Environmental Affaires
 Date of preparation / last revision 03/06/2019 / 18 Abbreviations and acronyms: ADP: Acord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Internity of Existing Commercial Chemical Substances ELINCS: European Internity of Existing Commercial Chemical Substances ELINCS: European Internity of Existing Commercial Chemical Society) NPFA: National Fire Protection Association (USA) HMS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentraticals Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration System (USA) VOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health TLV: Threshold Limit Value PEE: Permissible Exposure Limit REL: Recommende Exposure Limit REL:		
 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Arriage of Dangerous Goods by Road) MDG: International Arritime Code tor Dangerous Goods DOT: US Department of Transport Association ACGLH: American Conference of Governmental Industrial Hygienists EINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Sociation (USA) MHS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration 50 percent DBT: Persistent, Bioaccumulative and Toxic vPAB: very Persistent and very Bioaccumulative NIOSH: Hational Astricus es and mixtures – Type E/F Occupatione Substances Self-Roding Category 4 Self-Roding Category 4 Self-Roding Category 4 Acute Tox, 3: Acute toxicity – Category 4 Acute Tox, 3: Acute toxicity – Category 1 Eye First 2: Serious eye damage/eye irritation – Category 2 Eye Dam, 1: Schous et al. Stock (single exposure) – Category 3 Stin Trit. 2: Schorous et al. Schous (Stock) 2 Self-Roding Category 4 Acute Tox, 3: Acute toxicity – Category 1 Eye Irrit. 2: Schorous et al. School (Stock) 2 Self-Roding Category 4 Schous + 1: Self-acotoin/Fraiton – Category 2 Self-Roding Category 4 Schorous - 1: Schorous Schorolimitation – Category 2 Self-Roding Category 4 Schorous - 2: Schorous Edagory 4 		
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Aim Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Into 10 Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NTPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal concentration, 51 percent PBT: Persistent, Bioaccumulative and row NIOSH: National Institute for Occupational Safety OG: Percox, 21 Actional Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flam. Liq, 3: Flammable liquids – Category 3 Flam. Liq, 4: Flammable liquids – Category 4 Acute Tox, 4: Acute Toxicity – Category 4 Acute Tox, 4: Acute Toxicity – Category 1 Eye Dam, 1: Service sey e damage/eye irritation – Category 2 Bylin Sam; 1: Skin sensitisation – Category 2 Skin Smis, 1: Skin sensitisation – Category 2 Strin SE: 3: Specific target organ toxicity (ingle exposure) – Cate		
ACGIH: American Conference of Governmental Industrial Hygienists EINEGS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D50: Lethal dose, 50 percent D51: Persistent, Bioaccumulative and Toxic vPA: very Persistent and very Bioaccumulative NIOSH: National Fire Populational Safety & Health TU: Threshold Limit for Occupational Safety OSHA: Occupational Safety & Health TU: Threshold Limit For Occupational Safety OSHA: Occupational Safety & Health TU: Threshold Limit et or VC: very Persistent Bioaccumulative PEL: Permissible Exposure Limit Flam. Liq, 3: Flammable liquids – Category 3 Flam. Liq, 3: Flammable liquids – Category 4 Self-react: F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic perovides – Type E/F Acute Tox: 3: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/Iritation – Category 2 Eye Dam. 1: Serious sey damage/eye irritation – Category 2 Eye Joan. 1: Serious sey damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 StoT SE 3: Specific target organ toxicity (repeated exposure) – Category 3 StrOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Carc. 1: Aspiration hazard – Category 1	ADR: Accord européen sur le transport des marchandises dangereuses par Route IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	e (European Agreement concerning the International Carriage of Dangerous Goods by Road)
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEI: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq, 3: Flammable liquids – Category 3 Flam. Liq, 4: Flammable liquids – Category 4 Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox, 4: Acute toxicity – Category 4 Sakin Irrit, 2: Skin corrosion/irritation – Category 1 Eye Iper I: Serious eye damage/eye irritation – Category 1 Eye Irrit, 28: Serious eye damage/eye irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitistiation – Category 2 Stort SE 3: Specific target organ toxicity (repeated exposure) – Category 3 Stri TE 2: Specific target organ toxicity (repeated exposure) – Category 2 Stort SE 3: Specific target organ toxicity (repeated exposure) – Category 3 Stri TE 2: Specific target organ toxicity (repeated exposure) – Category 3 Stri TE 2: Specific target organ toxicity (repeated exposure) – Category 2 Stort SE 3: Specific target organ toxicity (repeated exposure) – Category 2 Stort SE 3: Specific target organ toxicity (repeated exposure) – Category 2 Stort SE 3: Specific target organ toxicity (repeated exposure) – Category 2 Stort SE 3: Specific target organ toxicity (repeated exposure) – Category 2		
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPuB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flam. Liq: 3: Flammable liquids – Category 3 Flam. Liq: 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type F/F Acute Tox. 4: Acute toxicity – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type F/F Acute Tox. 4: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 1 Safor Self. Teas. 1: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 2 STOT SE 3: Specific target organ toxicity (ignle exposure) – Category 2 STOT SE 3: Specific target organ toxicity (ignle exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Carc. 2: Asp. Tox. 1: Aspiration hazard – Category 1	EINECS: European Inventory of Existing Commercial Chemical Substances	
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LG50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPuE: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq, 3: Flammable liquids – Category 3 Flam. Liq, 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox, 4: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2: Skin corosion/irritation – Category 2 Eye Irrit. 2: Skin conces of mage/eye irritation – Category 2 Eye Irrit. 2: Skin conces of mage/eye irritation – Category 2 Eye Irrit. 2: Skin conces of mage/eye irritation – Category 2 Eye Irrit. 2: Skin conces of mage/eye irritation – Category 2 Eye Irrit. 2: Skin conces of mage/eye irritation – Category 2 Eye Irrit. 2: Skin conces of mage/eye irritation – Category 2 Eye Irrit. 2: Skin conces of approx 1: Carce: Carcinogenity – Category 2 Stort SE 3: Specific target organ toxicity (single exposure) – Category 3 Stort FR 2: Specific target organ toxicity (single exposure) – Category 2 Stort SE 3: Specific target organ toxicity (single exposure) – Category 2 Stort SE 3: Specific target organ toxicity (single exposure) – Category 2 Stort SE 3: Specific target organ toxicity (single exposure) – Category 2 Stort SE 3: Specific target organ toxicity (single exposure) – Category 2 Stort SE 3: Specific target organ toxicity (repeated exposure) – Category 2 App. Tox. 1: Aspiration hazard – Category 1		
VOC: Volatile Organic Compounds (USA, ÉU) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Lig. 3: Flammable liquids – Category 3 Flam. Lig. 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Self-react. I: Self-reactive substances and mixtures – Type E/F Acute Tox. 4: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2A Eye Irrit. 24: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Cacronogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react: F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 2 Asp. Tox. 1: Aspiration Hazard – Category 1		
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react: F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Inrit. 2A: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (inepeated exposure) – Category 2 STOT SE 2: Specific target organ toxicity (inepeated exposure) – Category 2 Ap. Tox. 1: Aspiration hazard – Category 1		
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 4: Acute toxicity – Category 2 Eve Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carce. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (ingle exposure) – Category 2 STOT SE 3: Specific target organ toxicity (ingle exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
NIOSH: National Institute for Öccupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (single exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carce. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 2 STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (ingle exposure) – Category 2 STOT SE 2: Specific target organ toxicity (ingle exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 7 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carce. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 2 STOT SE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1	TLV: Threshold Limit Value	
Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Self-react: F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (ingle exposure) – Category 3 STOT SE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
Flam. Liq. 4: Flammable liquids – Category 4 Self-react. F: Self-reactive substances and mixtures – Type E/F Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT SE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1	Flam. Liq. 4: Flammable liquids – Category 4	
Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/Irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1	Acute Tox. 3: Acute toxicity – Category 3	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
Eye Irrit, 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1	Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1		
	STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2	
	Asp. Tox. 1: Aspiration hazard – Category 1 - * Data compared to the previous version altered.	

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,
 ®Vibra-TITE is a registered trademark of ND Industries, Inc.